



A City of Adairsville NEWSLETTER

MARCH 27, 2020
VOLUME III, ISSUE III

UPDATE ON THE CITY'S ACTIONS REGARDING COVID-19

The City of Adairsville had recently closed to public access to all non-emergency facilities until March 29, 2020; however, through careful consideration that date has been extended to April 23, 2020 to correspond with the statewide school closures.

- **Customer Service for Utilities/Services:** Payments can be made by phone, mail, or online at <https://adairsvillega.net/pay-utilities>. Payments can also be made at United Community Bank. If payments need to be made using other forms of payment, or need to be delivered to the Customer Service office, the drop box in front of City Hall will be available 24/7 and will be checked multiple times throughout the day. Those needing new utility service can find the application at <https://adairsvillega.net/city-services>. Once completed, it can be emailed to Stephanie Witt at switt@adairsvillega.net. For questions or concerns regarding this change, please call (770) 773-3451. We will not be charging penalties for late payments this month; however, please continue to call for any payment arrangements that need to be made.
- **Utilities & Other City Services:** At this time, utilities and Public Works have no changes being made; however, we have created a plan in the event the workforce is reduced in the coming weeks.
- **Municipal Court:** Municipal Court for April 13, 2020 will be postponed until May 11, 2020. Payments can be made at <https://adairsvillepayments.com> if you have your citation number or drivers' license number and if the citation is not a "must appear" charge.

The Mayor issued a Second Emergency Declaration effective at 5:00pm today. The full text is available on our website @ www.adairsvillega.net. The following pages are other helpful tips and guidance from the Department of Public Health and the CDC.

This is a time when we are showing both faith and fear and pray for all of our leaders at the federal and state level as actions are taken. We will continue to update any important information on our website, as well as, our Facebook page.

What you need to know about coronavirus disease 2019 (COVID-19)

What is coronavirus disease 2019 (COVID-19)?

Coronavirus disease 2019 (COVID-19) is a respiratory illness that can spread from person to person. The virus that causes COVID-19 is a novel coronavirus that was first identified during an investigation into an outbreak in Wuhan, China.

Can people in the U.S. get COVID-19?

Yes. COVID-19 is spreading from person to person in parts of the United States. Risk of infection with COVID-19 is higher for people who are close contacts of someone known to have COVID-19, for example healthcare workers, or household members. Other people at higher risk for infection are those who live in or have recently been in an area with ongoing spread of COVID-19. Learn more about places with ongoing spread at <https://www.cdc.gov/coronavirus/2019-ncov/about/transmission.html#geographic>.

Have there been cases of COVID-19 in the U.S.?

Yes. The first case of COVID-19 in the United States was reported on January 21, 2020. The current count of cases of COVID-19 in the United States is available on CDC's webpage at <https://www.cdc.gov/coronavirus/2019-ncov/cases-in-us.html>.

How does COVID-19 spread?

The virus that causes COVID-19 probably emerged from an animal source, but is now spreading from person to person. The virus is thought to spread mainly between people who are in close contact with one another (within about 6 feet) through respiratory droplets produced when an infected person coughs or sneezes. It also may be possible that a person can get COVID-19 by touching a surface or object that has the virus on it and then touching their own mouth, nose, or possibly their eyes, but this is not thought to be the main way the virus spreads. Learn what is known about the spread of newly emerged coronaviruses at <https://www.cdc.gov/coronavirus/2019-ncov/about/transmission.html>.

What are the symptoms of COVID-19?

Patients with COVID-19 have had mild to severe respiratory illness with symptoms of

- fever
- cough
- shortness of breath

What are severe complications from this virus?

Some patients have pneumonia in both lungs, multi-organ failure and in some cases death.

How can I help protect myself?

People can help protect themselves from respiratory illness with everyday preventive actions.

- Avoid close contact with people who are sick.
- Avoid touching your eyes, nose, and mouth with unwashed hands.
- Wash your hands often with soap and water for at least 20 seconds. Use an alcohol-based hand sanitizer that contains at least 60% alcohol if soap and water are not available.

If you are sick, to keep from spreading respiratory illness to others, you should

- Stay home when you are sick.
- Cover your cough or sneeze with a tissue, then throw the tissue in the trash.
- Clean and disinfect frequently touched objects and surfaces.

What should I do if I recently traveled from an area with ongoing spread of COVID-19?

If you have traveled from an affected area, there may be restrictions on your movements for up to 2 weeks. If you develop symptoms during that period (fever, cough, trouble breathing), seek medical advice. Call the office of your health care provider before you go, and tell them about your travel and your symptoms. They will give you instructions on how to get care without exposing other people to your illness. While sick, avoid contact with people, don't go out and delay any travel to reduce the possibility of spreading illness to others.

Is there a vaccine?

There is currently no vaccine to protect against COVID-19. The best way to prevent infection is to take everyday preventive actions, like avoiding close contact with people who are sick and washing your hands often.

Is there a treatment?

There is no specific antiviral treatment for COVID-19. People with COVID-19 can seek medical care to help relieve symptoms.



Lo que necesita saber sobre la enfermedad del coronavirus 2019 (COVID-19)

¿Qué es la enfermedad del coronavirus 2019 (COVID-19)?

La enfermedad del coronavirus 2019 (COVID-19) es una afección respiratoria que se puede propagar de persona a persona. El virus que causa el COVID-19 es un nuevo coronavirus que se identificó por primera vez durante la investigación de un brote en Wuhan, China.

¿Pueden las personas en los EE. UU. contraer el COVID-19?

Sí. El COVID-19 se está propagando de persona a persona en partes de los Estados Unidos. El riesgo de infección con COVID-19 es mayor en las personas que son contactos cercanos de alguien que se sepia que tiene el COVID-19, por ejemplo, trabajadores del sector de la salud o miembros del hogar. Otras personas con un riesgo mayor de infección son las que viven o han estado recientemente en un área con propagación en curso del COVID-19.

¿Ha habido casos de COVID-19 en los EE. UU.?

Sí. El primer caso de COVID-19 en los Estados Unidos se notificó el 21 de enero del 2020. La cantidad actual de casos de COVID-19 en los Estados Unidos está disponible en la página web de los CDC en <https://www.cdc.gov/coronavirus/2019-ncov/cases-in-us.html>.

¿Cómo se propaga el COVID-19?

Es probable que el virus que causa el COVID-19 haya surgido de una fuente animal, pero ahora se está propagando de persona a persona. Se cree que el virus se propaga principalmente entre las personas que están en contacto cercano unas con otras (dentro de 6 pies de distancia), a través de las gotitas respiratorias que se producen cuando una persona infectada tose o estornuda. También podría ser posible que una persona contraiga el COVID-19 al tocar una superficie u objeto que tenga el virus y luego se toque la boca, la nariz o posiblemente los ojos, aunque no se cree que esta sea la principal forma en que se propaga el virus. Informese sobre lo que se sabe acerca de la propagación de los coronavirus de reciente aparición en <https://www.cdc.gov/coronavirus/2019-about/transmission-sp.html>.

¿Cuáles son los síntomas del COVID-19?

Los pacientes con COVID-19 han tenido enfermedad respiratoria de leve a grave con los siguientes síntomas:

- fiebre
- tos
- dificultad para respirar

¿Cuáles son las complicaciones graves provocadas por este virus?

Algunos pacientes presentan neumonía en ambos pulmones, insuficiencia de múltiples órganos y algunos han muerto.

¿Qué puedo hacer para ayudar a protegerme?

Las personas se pueden proteger de las enfermedades respiratorias tomando medidas preventivas cotidianas.

- Evite el contacto cercano con personas enfermas.
- Evite tocarse los ojos, la nariz y la boca con las manos sin lavar.
- Lávese frecuentemente las manos con agua y jabón por al menos 20 segundos. Use un desinfectante de manos que contenga al menos un 60 % de alcohol si no hay agua y jabón disponibles.

Si está enfermo, para prevenir la propagación de la enfermedad respiratoria a los demás, debería hacer lo siguiente:

- Quedarse en casa si está enfermo.
- Cubrirse la nariz y la boca con un pañuelo desechable al toser o estornudar y luego botarlo a la basura.
- Limpiar y desinfectar los objetos y las superficies que se tocan frecuentemente.

¿Qué debo hacer si he regresado recientemente de un viaje a un área con propagación en curso del COVID-19?

Si ha llegado de viaje proveniente de un área afectada, podrían indicarle que no salga de casa por hasta 2 semanas. Si presenta síntomas durante ese periodo (fiebre, tos, dificultad para respirar), consulte a un médico. Llame al consultorio de su proveedor de atención médica antes de ir y dígales sobre su viaje y sus síntomas. Ellos le darán instrucciones sobre cómo conseguir atención médica sin exponer a los demás a su enfermedad. Mientras esté enfermo, evite el contacto con otras personas, no salga y postergue cualquier viaje para reducir la posibilidad de propagar la enfermedad a los demás.

¿Hay alguna vacuna?

En la actualidad no existe una vacuna que proteja contra el COVID-19. La mejor manera de prevenir infecciones es tomar medidas preventivas cotidianas, como evitar el contacto cercano con personas enfermas y lavarse las manos con frecuencia.

¿Existe un tratamiento?

No hay un tratamiento antiviral específico para el COVID-19. Las personas con el COVID-19 pueden buscar atención médica para ayudar a aliviar los síntomas.



[cdc.gov/COVID19-es](https://www.cdc.gov/COVID19-es)

Steps to help prevent the spread of COVID-19 if you are sick

FOLLOW THE STEPS BELOW: If you are sick with COVID-19 or think you might have it, follow the steps below to help protect other people in your home and community.

Stay home except to get medical care

- **Stay home:** People who are mildly ill with COVID-19 are able to recover at home. Do not leave, except to get medical care. Do not visit public areas.
- **Stay in touch with your doctor.** Call before you get medical care. Be sure to get care if you feel worse or you think it is an emergency.
- **Avoid public transportation:** Avoid using public transportation, ride-sharing, or taxis.



Separate yourself from other people in your home, this is known as home isolation

- **Stay away from others:** As much as possible, you should stay in a specific “sick room” and away from other people in your home. Use a separate bathroom, if available.
- **Limit contact with pets & animals:** You should restrict contact with pets and other animals, just like you would around other people.
 - Although there have not been reports of pets or other animals becoming sick with COVID-19, it is still recommended that people with the virus limit contact with animals until more information is known.
 - When possible, have another member of your household care for your animals while you are sick with COVID-19. If you must care for your pet or be around animals while you are sick, wash your hands before and after you interact with them. See COVID-19 and Animals for more information.



Call ahead before visiting your doctor

- **Call ahead:** If you have a medical appointment, call your doctor's office or emergency department, and tell them you have or may have COVID-19. This will help the office protect themselves and other patients.



Wear a facemask if you are sick

- **If you are sick:** You should wear a facemask when you are around other people and before you enter a healthcare provider's office.
- **If you are caring for others:** If the person who is sick is not able to wear a facemask (for example, because it causes trouble breathing), then people who live in the home should stay in a different room. When caregivers enter the room of the sick person, they should wear a facemask. Visitors, other than caregivers, are not recommended.



Cover your coughs and sneezes

- **Cover:** Cover your mouth and nose with a tissue when you cough or sneeze.
- **Dispose:** Throw used tissues in a lined trash can.
- **Wash hands:** Immediately wash your hands with soap and water for at least 20 seconds. If soap and water are not available, clean your hands with an alcohol-based hand sanitizer that contains at least 60% alcohol.



Clean your hands often

- **Wash hands:** Wash your hands often with soap and water for at least 20 seconds. This is especially important after blowing your nose, coughing, or sneezing; going to the bathroom; and before eating or preparing food.
- **Hand sanitizer:** If soap and water are not available, use an alcohol-based hand sanitizer with at least 60% alcohol, covering all surfaces of your hands and rubbing them together until they feel dry.
- **Soap and water:** Soap and water are the best option, especially if hands are visibly dirty.
- **Avoid touching:** Avoid touching your eyes, nose, and mouth with unwashed hands.



Avoid sharing personal household items

- **Do not share:** Do not share dishes, drinking glasses, cups, eating utensils, towels, or bedding with other people in your home.



- **Wash thoroughly after use:** After using these items, wash them thoroughly with soap and water or put in the dishwasher.

Clean all “high-touch” surfaces everyday

Clean high-touch surfaces in your isolation area (“sick room” and bathroom) every day; let a caregiver clean and disinfect high-touch surfaces in other areas of the home.



- **Clean and disinfect:** Routinely clean high-touch surfaces in your “sick room” and bathroom. Let someone else clean and disinfect surfaces in common areas, but not your bedroom and bathroom.
 - If a caregiver or other person needs to clean and disinfect a sick person’s bedroom or bathroom, they should do so on an as-needed basis. The caregiver/other person should wear a mask and wait as long as possible after the sick person has used the bathroom.
- High-touch surfaces include phones, remote controls, counters, tabletops, doorknobs, bathroom fixtures, toilets, keyboards, tablets, and bedside tables.
- **Clean and disinfect areas that may have blood, stool, or body fluids on them.**
- **Household cleaners and disinfectants:** Clean the area or item with soap and water or another detergent if it is dirty. Then, use a household disinfectant.
 - Be sure to follow the instructions on the label to ensure safe and effective use of the product. Many products recommend keeping the surface wet for several minutes to ensure germs are killed. Many also recommend precautions such as wearing gloves and making sure you have good ventilation during use of the product.
 - Most EPA-registered household disinfectants should be effective. A full list of disinfectants can be found hereexternal icon.

Monitor your symptoms



- **Seek medical attention, but call first:** Seek medical care right away if your illness is worsening (for example, if you have difficulty breathing).
 - **Call your doctor before going in:** Before going to the doctor’s office or emergency room, call ahead and tell them your symptoms. They will tell you what to do.
- **Wear a facemask:** If possible, put on a facemask before you enter the building. If you can’t put on a facemask, try to keep a safe distance from other people (at least 6 feet away). This will help protect the people in the office or waiting room.
- **Follow care instructions from your healthcare provider and local health department:** Your local health authorities will give instructions on checking your symptoms and reporting information.

If you develop **emergency warning signs** for COVID-19 get **medical attention immediately**.

Emergency warning signs include*:

- Difficulty breathing or shortness of breath
- Persistent pain or pressure in the chest
- New confusion or inability to arouse
- Bluish lips or face

*This list is not all inclusive. Please consult your medical provider for any other symptoms that are severe or concerning.

Call 911 if you have a medical emergency: If you have a medical emergency and need to call 911, notify the operator that you have or think you might have, COVID-19. If possible, put on a facemask before medical help arrives.

How to discontinue home isolation



- People with **COVID-19 who have stayed home (home isolated)** can stop home isolation under the following conditions:
 - **If you will not have a test** to determine if you are still contagious, you can leave home after these three things have happened:
 - You have had no fever for at least 72 hours (that is three full days of no fever without the use medicine that reduces fevers)
AND
 - other symptoms have improved (for example, when your cough or shortness of breath have improved)
AND
 - at least 7 days have passed since your symptoms first appeared
 - **If you will be tested** to determine if you are still contagious, you can leave home after these three things have happened:
 - You no longer have a fever (without the use medicine that reduces fevers)
AND
 - other symptoms have improved (for example, when your cough or shortness of breath have improved)
AND
 - you received two negative tests in a row, 24 hours apart. Your doctor will follow CDC guidelines.

In all cases, follow the guidance of your healthcare provider and local health department. The decision to stop home isolation should be made in consultation with your healthcare provider and state and local health departments. Local decisions depend on local circumstances.

More information is available [here](#).

Additional information for healthcare providers: [Interim Healthcare Infection Prevention and Control Recommendations for Persons Under Investigation for 2019 Novel Coronavirus](#).

Qué hacer si contrae la enfermedad del coronavirus 2019 (COVID-19)

Si usted está enfermo con COVID-19 o sospecha que está infectado por el virus que causa el COVID-19, tome las medidas mencionadas a continuación para ayudar a prevenir que la enfermedad se propague a personas en su casa y en la comunidad.

Quédese en casa, excepto para conseguir atención médica

Debe restringir las actividades fuera de su casa, excepto para conseguir atención médica. No vaya al trabajo, la escuela o a áreas públicas. Evite usar el servicio de transporte público, vehículos compartidos o taxis.

Manténgase alejado de otras personas y de los animales en su casa

Personas: en la medida de lo posible, permanezca en una habitación específica y lejos de las demás personas que estén en su casa. Además, debería usar un baño aparte, de ser posible.

Animales: mientras esté enfermo, no manipule ni toque mascotas ni otros animales. Consulte [El COVID-19 y los animales](#) para obtener más información.

Llame antes de ir al médico

Si tiene una cita médica, llame al proveedor de atención médica y dígale que tiene o que podría tener COVID-19. Esto ayudará a que en el consultorio del proveedor de atención médica se tomen medidas para evitar que otras personas se infecten o expongan.

Use una mascarilla

Usted debería usar una mascarilla cuando esté cerca de otras personas (p. ej., compartiendo una habitación o un vehículo) o de mascotas y antes de entrar al consultorio de un proveedor de atención médica. Si no puede usar una mascarilla (por ejemplo, porque le causa dificultad para respirar), las personas que vivan con usted no deberían permanecer con usted en la misma habitación, o deberían ponerse una mascarilla si entran a su habitación.

Cúbrase la nariz y la boca al toser y estornudar

Cúbrase la nariz y la boca con un pañuelo desechable al toser o estornudar. Bote los pañuelos desechables usados en un bote de basura con una bolsa de plástico adentro; lávese inmediatamente las manos con agua y jabón por al menos 20 segundos o límpieselas con un desinfectante de manos que contenga al menos 60 % de alcohol, cubra todas las superficies de las manos y fróteselas hasta que sienta que se secaron. Si tiene las manos visiblemente sucias, es preferible usar agua y jabón.

Evite compartir artículos del hogar de uso personal

No debe compartir platos, vasos, tazas, cubiertos, toallas o ropa de cama con otras personas o mascotas que estén en su casa. Después de usar estos artículos, se los debe lavar bien con agua y jabón.

Límpiese las manos con frecuencia

Lávese frecuentemente las manos con agua y jabón por al menos 20 segundos. Si no hay agua y jabón disponibles, límpieselas con un desinfectante de manos que contenga al menos un 60 % de alcohol, cubra todas las superficies de las manos y fróteselas hasta que sienta que se secaron. Si tiene las manos visiblemente sucias, es preferible usar agua y jabón. Evite tocarse los ojos, la nariz y la boca con las manos sin lavar.

Limpie todos los días todas las superficies de contacto frecuente

Las superficies de contacto frecuente incluyen los mesones, las mesas, las manijas de las puertas, las llaves y grifos del baño, los inodoros, los teléfonos, los teclados, las tabletas y las mesas de cama. Limpie también todas las superficies que puedan tener sangre, heces o líquidos corporales. Use un limpiador de uso doméstico, ya sea un rociador o una toallita, según las instrucciones de la etiqueta. Las etiquetas contienen instrucciones para el uso seguro y eficaz de los productos de limpieza, incluidas las precauciones que debería tomar cuando aplique el producto, como usar guantes y asegurarse de tener buena ventilación mientras lo esté usando.

Vigile sus síntomas

Busque atención médica rápidamente si su enfermedad empeora (p. ej., si tiene dificultad para respirar). Antes de hacerlo, llame a su proveedor de atención médica y dígale que tiene COVID-19, o que está siendo evaluado para determinar si lo tiene. Póngase una mascarilla antes de entrar al consultorio. Estas medidas ayudarán a que en el consultorio del proveedor de atención médica se pueda evitar la infección o exposición de las otras personas que estén en el consultorio o la sala de espera.

Pídale a su proveedor de atención médica que llame al departamento de salud local o estatal. Las personas que estén bajo monitoreo activo o automonitoreo facilitado deben seguir las indicaciones provistas por los profesionales de salud ocupacional o de su departamento de salud local, según corresponda.

Si tiene una emergencia médica o necesita llamar al 911, avísele al personal del centro de llamadas que tiene COVID-19 o lo están evaluando para determinarlo. De ser posible, póngase una mascarilla antes de que llegue el servicio médico de emergencias.

Interrupción del aislamiento en la casa

Los pacientes con COVID-19 confirmado deben permanecer bajo precauciones de aislamiento en la casa hasta que el riesgo de transmisión secundaria a otras personas se considere bajo. La decisión de interrumpir las precauciones de aislamiento en la casa debe tomarse según cada caso en particular, en consulta con proveedores de atención médica y departamentos de salud estatales y locales.

www.cdc.gov/COVID19-es





Feeling Sick?

Stay home when you are sick!

If you feel unwell or have the following symptoms
please leave the building and contact your health care provider.
Then follow-up with your supervisor.


DO NOT ENTER if you have:



FEVER



COUGH



SHORTNESS OF BREATH



[cdc.gov/CORONAVIRUS](https://www.cdc.gov/coronavirus)


STOP THE SPREAD OF GERMS

Help prevent the spread of respiratory diseases like COVID-19.


Avoid close contact with people who are sick.



Cover your cough or sneeze with a tissue, then throw the tissue in the trash.



Avoid touching your eyes, nose, and mouth.



Clean and disinfect frequently touched objects and surfaces.



Stay home when you are sick, except to get medical care.



Wash your hands often with soap and water for at least 20 seconds.




DETENGA LA PROPAGACIÓN DE LOS MICROBIOS

Ayude a prevenir la propagación de enfermedades respiratorias como el COVID-19

Evite el contacto cercano con las personas enfermas.



Cúbrase la nariz y la boca con un pañuelo desechable al toser o estornudar y luego bótelo a la basura.



Evite tocarse los ojos, la nariz y la boca.

Limpie y desinfecte los objetos y las superficies que se tocan frecuentemente.



Quédese en casa si está enfermo, excepto para buscar atención médica.



Lávese las manos frecuentemente con agua y jabón por al menos 20 segundos.





1 Wet



2 Get Soap

Wash Your Hands!



3 Scrub



4 Rinse



5 Dry



Hands
that look
clean can still
have icky
germs!